



**ADDENDUM NO. 1**

for

Roof Restorations at Dolan Park and Rotary Park  
City of Jerseyville, Illinois

November 11, 2021

The PROJECT MANUAL AND CONTRACT DOCUMENTS prepared by the City of Jerseyville for the Roof Restorations at Dolan Park and Rotary Park are hereby amended or clarified as follows:

**TECHNICAL SPECIFICATIONS:**

Changes/additions/clarifications to the Technical Specifications are as listed below:

Asphalt Shingles Roof Option – Base Bid “A”:

Item 5 – Ice and water barrier is also required in valleys and three (3) feet above drip-edge for roofs 4:12 pitch and steeper.

Item 7 – Ventilation is required at all structures – the pool house and all pavilions.

Standing Seam Metal Roof Option – Base Bid “B”:

Item 5 – Ice and water barrier is also required in valleys and three (3) feet above drip-edge for roofs 4:12 pitch and steeper.

End of Addendum.

115 E. Prairie St.  
Jerseyville, IL 62052  
P 618.498.3312  
F 618.498.4122

[www.jerseyville-il.us](http://www.jerseyville-il.us)

**MAYOR**  
William Russell

**COMMISSIONERS**  
Kevin Stork  
*Accounts & Finances*

Steve Pohlman  
*Public Health & Safety*

Nick Bexheti  
*Streets & Public Improvements*

Zachary Crawford  
*Public Property*

Bill Strang  
*City Attorney*

Denise Hayes  
*City Clerk*

Robert J. Manns, P.E.  
Director of Public Works  
City of Jerseyville